

AMENDMENTS TO THE CLAIMS

This listing of the claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) A cake decorating device, comprising:
a base having a support pin at a lower surface thereof to
be pinned on a cake,
a heating unit mounted to the base to emit heat; and
a display provided on a vertical wall of the base
and including a previously printed thermosensitive message, wherein heat
emitted from the heating unit causes a color change of the message, such that
said display displays the message.
2. (Original) The cake decorating device as defined in claim 1, wherein
the heating unit comprises
a support plate mounted to an upper surface of the base;
at least one candlestand provided on the support plate; and
a candle placed on the candlestand.
3. (Original) The cake decorating device as defined in claim 1, wherein

the heating unit comprises

- a base having a rail groove thereon;

- at least one candlestand having a locking part at a lower surface thereof to be fitted into the rail groove of the base; and

- a candle placed on the candlestand.

4. (Original) The cake decorating device as defined in claim 1, wherein the heating unit comprises

- a base having a plurality of locking holes thereon;

- at least one candlestand having a locking pin at a lower surface thereof to be fitted into each of the locking holes of the base; and

- a candle placed on the candlestand.

5. (Original) The cake decorating device as defined in claim 1, wherein the heating unit comprises a plurality of candlestands each provided with a candle, and adhered onto an upper surface of the base.

6. (Original) The cake decorating device as defined in claim 1, wherein the heating unit comprises

- a candle-receiving chamber integrated with the base; and

- a candle having a plurality of candlewicks and received in the candle-receiving chamber.

7. (Original) The cake decorating device as defined in claim 1, wherein the heating unit comprises

a candle-receiving chamber provided on an upper surface of the base;
and

a candle having a plurality of candlewicks and received in the candle-receiving chamber.

8. (Original) The cake decorating device as defined in claim 1, wherein the displaying unit comprises a transfer paper printed by a thermosensitive microcapsule product.

9. (New) A cake decorating device, comprising:

a base having a support pin provided on a lower surface of the base and at least one locking groove provided on an upper surface of the base;

a generally planar support plate extending generally parallel to the base, the support plate having at least one locking protrusion extending from a bottom surface, and engaging the at least one locking groove of the base;

a heating unit, mounted on an upper surface of the support plate, to emit heat; and

a display provided on a vertical wall of the base and including a previously printed thermosensitive message, wherein heat emitted from the heating unit causes a color change of the message, such that the display displays the message.

10. (New.) A cake decorating device, comprising:

a base having a support pin at a lower surface and a candle-receiving chamber formed integral with the base,

a heating unit including a candle having a plurality of candlewicks, the candle being received in the candle-receiving chamber of the base; and

a display provided on a vertical wall of the base and including a previously printed thermosensitive message, wherein heat emitted from the heating unit causes a color change of the message, such that said display displays the message.